Letters in Applied Microbiology

Edited by

D.E.S. Stewart-Tull, F. Stutzenberger, C.R. Harwood,

D.M. Gibson & P.J. Blackall

Volume 26, 1998

Copyright © 1998, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

CODEN LAMIE7 ISSN 0266-8254

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 26, Number 1, January 1998

1 Instructions to Authors

5 Fitness costs associated with class IIa bacteriocin resistance in *Listeria monocytogenes* B73 *G.A. Dykes & J.W. Hastings*

9 A mimic as internal standard to monitor PCR analysis of foodborne pathogens *S. Thisted Lambertz, A. Ballagi-Pordány & R. Lindqvist*

12 Nucleotide sequence of the *nifH* gene coding for nitrogen reductase in the acetic acid bacterium *Acetobacter diazotrophicus I.H. Franke, M. Fegan, A.C. Hayward & L.I. Sly*

17 Biological control of sporidesmin-producing strains of *Pithomyces chartarum* by biocompetitive exclusion *J.M. Fitzgerald, R.G. Collin & N.R. Towers*

22 Biochemical and symbiotic properties of histidine-requiring mutants of *Rhizobium leguminosarum* biovar trifolii *A.S. Yadav, R.K. Vashishat, L.D. Kuykendall & F.M. Hashem*

27 Isolation of a kojic acid-producing fungus capable of using starch as a carbon source *M. Rosfarizan, S. Madihah & A.B. Ariff*

31 Heat shock response enhances acid tolerance of *Escherichia coli* O157:H7 *G. Wang & M.P. Doyle*

35 Conjugal transfer of transposon Tn1545 into the cellulolytic bacterium *Eubacterium cellulosolvens K.L. Anderson, J.A. Megehee & V.H. Varel*

38 Drought tolerance by lentil rhizobia (*Rhizobium leguminosarum*) from arid and semiarid areas of Pakistan *M. Athar*

43 Anti-bacterial activity of synthetic N-heterocyclic oxidizing compounds *G.O. Babalola*

47 Separation of *Listeria monocytogenes* and *Salmonella berta* from a complex food matrix by aqueous polymer two-phase partitioning *L.H. Pedersen, P. Skouboe, L. Rossen & O.F. Rasmussen*

51 Increasing phage resistance of cheese starters: a case study using *Lactococcus lactis* DPC4268 *A. Coffey, M. Coakley, A. McGarry, G.F. Fitzgerald & R.P. Ross*

56 Production and purification of recombinant protective antigen and protective efficacy against *Bacillus anthracis J. Miller, B.W. McBride, R.J. Manchee, P. Moore & L.W.J. Baillie*

61 Antimicrobial effects of aqueous plant extracts on the fungi *Microsporum canis* and *Trichophyton rubrum* and on three bacterial species *M. Maoz & I. Neeman*

64 Effect of salt concentration and temperature on survival of *Legionella pneumophila R. Heller, C. Höller, R. Süßmuth & K.O. Gundermann*

69 *Campylobacter jejuni* 72Dz/92 *cjaC* gene coding 28 kDa immunopositive protein, a homologue of the solute-binding components of the ABC transport system *D. Pawelec, J. Jakubowska-Mróz & E.K. Jagusztyn-Krynicka*

77 Keratinolytic activity of *Streptomyces* sp. $S.K_{1-02}$: a new isolated strain *F. Letourneau, V. Soussotte, P. Bressollier, P. Branland & B. Verneuil*

81 Evaluation of the use of the bioMerieux Rapid ID32 A for the identification of *Clostridium botulinum M.M. Brett*

85 Corrigendum

Volume 26, Number 2, February 1998

87 Influence of soil quality on the function of inhibitory rhizobacteria *W.R. Horwath, L.F. Elliott & J.M. Lynch*

93 Evaluation of DNA preparation techniques for detection of the SLT-1 gene of *Escherichia coli* O157:H7 in bovine faeces using the polymerase chain reaction *D.S. Stewart, M.L. Tortorello & S.M. Gendel*

98 Degradation of geosmin-like compounds by selected species of Gram-positive bacteria *I. Saadoun & F. El-Migdadi*

101 Improved cloning vectors for *Bifidobacterium* spp. *M. Rossi, P. Brigidi & D. Matteuzzi*

105 Pulsed-field gel electrophoresis typing of *Hafnia alvei* isolated from chub-packed and retail ground beef *S.D. Gamage, J.B. Luchansky & S.C. Ingham*

110 Occurrence and distribution of *Vibrio vulnificus* in tropical fish and shellfish from Cochin (India) *N. Thampuran & P.K. Surendran*

113 Molecular characterization of a strain-specific sequence in *Campylobacter jejuni P.T. Richardson & S.F. Park*

118 Antimicrobial properties of plant essential oils and essences against five important food-borne pathogens *A. Smith-Palmer, J. Stewart & L. Fyfe*

123 Susceptibility of bifidobacteria to nisin *V. Rada & J. Dlabal*

126 Development and evaluation of polymerase chain reaction tests as an aid to diagnosis of swine dysentery and intestinal spirochaetosis *R.F. Atyeo, S.L. Oxberry, B.G. Combs & D.J. Hampson*

131 High-resolution genotyping of *Salmonella* strains by AFLP-fingerprinting *H.J.M. Aarts, L.A.J.T. van Lith & J. Keijer*

136 Galacto-oligosaccharide production using a recycling cell culture of *Sterigmatomyces elviae* CBS8119 *N. Onishi & T. Tanaka*

140 Detection of *Yersinia enterocolitica* in food by PCR amplification *A. Nilsson, S.T. Lambertz, P. Stålhandske, P. Norberg & M.-L. Danielsson-Tham*

145 A blood-free enrichment medium for growing *Campylobacter* spp. under aerobic conditions *T.T. Tran*

149 Possible link between a 35 kDa membrane protein and osmolyte transport in *Staphylococcus aureus* *B. Pourkomailian*

153 Vancomycin susceptibility as an aid to the identification of lactobacilli *J.M.T. Hamilton-Miller & S. Shah*

155 Effect of genetically modified *Pseudomonas fluorescens* strains on the uptake of nitrogen by pea from ^{15}N enriched organic residues *M.J. Brimecombe, F.A.A.M. De Leij & J.M. Lynch*

161 Diarrhoeal enterotoxin production by psychrotrophic *Bacillus cereus* present in reconstituted milk-based infant formulae (MIF) *N.J. Rowan & J.G. Anderson*

166 Effect of high-temperature, short-time (HTST) pasteurization on milk containing low numbers of *Mycobacterium paratuberculosis I.R. Grant, H.J. Ball & M.T. Rowe*

205 Incidence of *Listeria* spp. in Breton live shellfish *P. Monfort, J. Minet, J. Rocourt, G. Piclet & M. Cormier*

209 The synergistic preservative effects of the essential oils of sweet basil (*Ocimum basilicum* L.) against acid-tolerant food microflora *K.J. Lachowicz, G.P. Jones, D.R. Briggs, F.E. Bienvenu, J. Wan, A. Wilcock & M.J. Coventry*

215 Inhibition effect of enterocin CCM 4231 in the rumen fluid environment *A. Lauková & S. Czikková*

219 Prominent occurrence of ribosomes from an uncultured bacterium of the Verrucomicrobiales cluster in grassland soils *A. Felske & A.D.L. Akkermans*

224 The content of prostaglandins and their precursors in *Mortierella* and *Cunninghamella* species *M. Lamacka & J. Sajbidor*

227 Effects of high hydrostatic pressure on *Clostridium sporogenes* spores *G. Mills, R. Earnshaw & M.F. Patterson*

231 Plantaricin D, a bacteriocin produced by *Lactobacillus plantarum* BFE 905 from ready-to-eat salad *C.M.A.P. Franz, M. Du Toit, N.A. Olasupo, U. Schillinger & W.H. Holzapfel*

236 Letters to the Editor

Volume 26, Number 3, March 1998

iii Editorial

171 Proteolytic activity from a thermophilic *Streptomyces megasporus* strain SDP4 *D. Patke & S. Dey*

175 The influence of yeast on thermophilic composting of food waste *M.H. Choi & Y.-H. Park*

179 Subtyping of *Campylobacter jejuni* Penner serotypes 9, 38 and 63 from human infections, animals and water by pulsed field gel electrophoresis and flagellin gene analysis *E. Lorenz, A. Lastovica & R.J. Owen*

183 Typing of *Bacillus sporothermodurans* and other *Bacillus* species isolated from milk by repetitive element sequence based PCR *L. Herman, M. Heyndrickx & G. Waes*

189 Genetic diversity of *Ornithobacterium rhinotracheale* strains isolated from poultry in France *S. Leroy-Sétrin, G. Flaujac, K. Thénaisy & E. Chaslus-Dancla*

194 Effects of tea tree oil on *Escherichia coli J.E. Gustafson, Y.C. Liew, S. Chew, J. Markham, H.C. Bell, S.G. Wyllie & J.R. Warmington*

199 Dynabeads™ plus 3 M Petrifilm HEC™ versus Vitek Immunodiagnostic Assay System™ for detection of *E. coli* O157 in minced meat *K. Grif, M.P. Dierich & F. Allerberger*

Volume 26, Number 4, April 1998

237 Determination of *Giardia* cyst viability in environmental and faecal samples by immunofluorescence, fluorogenic dye staining and differential interference contrast microscopy *L. Thiriat, F. Sidaner & J. Schwartzbrod*

243 Large plasmids in ruminal strains of *Selenomonas ruminantium K. Fliegerová, O. Benada & H.J. Flint*

248 A method for the selective enumeration and isolation of ruminal *Lactobacillus* and *Streptococcus L.J. Yanke & K.-J. Cheng*

253 Antimicrobial resistance of bacteria isolated from slaughtered and retail chickens in South Africa *T. Manie, S. Khan, V.S. Brözel, W.J. Veith & P.A. Gouws*

259 The oxidative stress response in *Enterococcus faecalis*: relationship between H_2O_2 tolerance and H_2O_2 stress proteins *S. Flahaut, J.-M. Laplace, J. Frère & Y. Auffray*

265 Segregational and structural instability of recombinant plasmid carrying genes for naphthalene degrading pathway *S.K. Samanta, M. Rani & R.K. Jain*

270 Biogenic amine production by wild lactococcal and leuconostoc strains *D. González de Llano, P. Cuesta & A. Rodríguez*

275 The production of D-acetoin by a transgenic *Escherichia coli* *S. Ui, A. Mimura, M. Okuma & T. Kudo*

279 Density of lectin-like receptors in the FLO1 phenotype of *Saccharomyces cerevisiae* *S.J.J. Patelakis, L.L. Ritcey & R.A. Speers*

283 Characterization of partially purified alcohol dehydrogenase from *Rhodococcus* sp. strain GK1 *F. Krier, J. Kreit & J.-B. Millière*

288 Disinfectant testing: use of the Bioscreen Microbiological Growth Analyser for laboratory biocide screening *R.J. Lambert, M.D. Johnston & E.-A. Simons*

293 Using specific polyclonal antibodies to study the malolactic enzyme from *Leuconostoc oenos* and other lactic acid bacteria *C. Labarre, J.-F. Cavin, C. Diviès & J. Guzzo*

297 Detection and characterization of a bacteriocin produced by *Lactococcus lactis* subsp. *cremoris* R isolated from radish *Z. Yildirim & M.G. Johnson*

305 Alkaline phosphatase release assay to determine cytotoxicity for *Listeria* species *A.K. Bhunia & D.G. Westbrook*

311 Plant mediated interactions between *Pseudomonas fluorescens, Rhizobium leguminosarum* and arbuscular mycorrhizae on pea *G. Andrade, F.A.A.M. De Leij & J.M. Lynch*

317 Molecular characterization of *Beauveria brongniartii* isolates obtained from *Melolontha melolontha* in Valle d'Aosta (Italy) by RAPD-PCR *P. Piatti, F. Cravanzola, P.D. Bridge & O.I. Ozino*

325 Factors affecting the heat resistance of *Escherichia coli* O157:H7 *J. Kaur, D.A. Ledward, R.W.A. Park & R.L. Robson*

331 Letters to the Editor

332 Corrigendum

Volume 26, Number 5, May 1998

333 Antibiotic susceptibility of potentially probiotic *Bifidobacterium* isolates from the human gastrointestinal tract *W.P. Charteris, P.M. Kelly, L. Morelli & J.K. Collins*

338 Comparison of two different types of competitive exclusion products *C. Schneitz & M. Hakkinen*

342 Correlation of bacterial indicator organisms with *Salmonella* spp., *Staphylococcus aureus* and *Candida albicans* in sea water *M.A. Efstratiou, A. Mavridou, S.C. Richardson & J.A. Papadakis*

347 Bactericidal effect of chlorine on motile *Aeromonas* spp. in drinking water supplies and influence of temperature on disinfection efficacy *M. Sisti, A. Albano & G. Brandi*

352 False-positive coliform reaction mediated by *Aeromonas* in the Colilert defined substrate technology system *J.P.B. Landre, A.A. Gavriel & A.J. Lamb*

355 Tea tree oil causes K^+ leakage and inhibits respiration in *Escherichia coli* *S.D. Cox, J.E. Gustafson, C.M. Mann, J.L. Markham, Y.C. Liew, R.P. Hartland, H.C. Bell, J.R. Warmington & S.G. Wyllie*

359 Detection of carboxypeptidases as taxonomic markers for Gram-negative bacteria *J.D. Perry, L. Archer, A.L. Jones, A.L. James, M. Ford & F.K. Gould*

363 Influence of quercetin, a bioflavonoid, on the toxicity of copper to *Fusarium culmorum* *S.H. Park, C.W. Choi, K.-S. Lee & C.-J. Kim*

367 Isolation, characterization and expression of a plasmid encoding chromate resistance in *Pseudomonas putida* KT2441 *M.A. Mondaca, C.L. González & C.A. Zaror*

372 Quantitative detection of meat spoilage bacteria by using the polymerase chain reaction (PCR) and an enzyme linked immunosorbent assay (ELISA) *R. Gutiérrez, T. García, I. González, B. Sanz, P.E. Hernández & R. Martín*

377 A colony based confirmation assay for *Legionella* and *Legionella pneumophila* employing the EnviroAmp™ *Legionella* system and seroagglutination *C.P. Saint*

382 Detection of α- and ε-toxigenic *Clostridium perfringens* Type D in sheep and goats using a DNA amplification technique (PCR) *R. Miserez, J. Frey, C. Buogo, S. Capaul, A. Tontis, A. Burnens & J. Nicolet*

387 Isolation of a strain of *Bacillus thuringiensis* subsp. *kurstaki* HD-1 encoding δ=endotoxin Cry1E *J.H. Chang, J.Y. Roh, Y.H. Je, H.W. Park, B.R. Jin, S.D. Woo & S.K. Kang*

Volume 26, Number 6, June 1998

391 Production of poly-3-hydroxybutyrate from lactose and whey by *Methylobacterium* sp. ZP24 *V. Yellore & A. Desai*

395 Isolation of *Escherichia coli* O86:K61 producing cytolethal distending toxin from wild birds of the finch family *G. Foster, H.M. Ross, T.W. Pennycott, G.F. Hopkins & I.M. McLaren*

399 Intra-strain variation in expression of lipopolysaccharide by *Helicobacter pylori* *J.R. Gibson, H. Chart & R.J. Owen*

404 A comparison of the bactericidal and photobactericidal activities of aminoacridines and bis(aminoacridines) *M. Wainwright, D.A. Phoenix, J. Marland, D.R.A. Wareing & F.J. Bolton*

407 Antibacterial activity of bovine lactoferrin and its peptides against enterohaemorrhagic *Escherichia coli* O157:H7 *K. Shin, K. Yamauchi, S. Teraguchi, H. Hayasawa, M. Tomita, Y. Otsuka & S. Yamazaki*

412 Randomly amplified polymorphic DNA (RAPD) for discrimination of *Pediococcus pentosaceus* and *Ped. acidilactici* and rapid grouping of *Pediococcus* isolates *A. Nigatu, S. Ahrné, B.A. Gashe & G. Molin*

417 A parametric study of the destruction efficiency of *Bacillus* spores in low pressure oxygen-based plasmas *S. Hury, D.R. Vidal, F. Desor, J. Pelletier & T. Lagarde*

422 Use of the Malthus-AT system to assess the efficacy of permeabilizing agents on the activity of antibacterial agents against *Pseudomonas aeruginosa H.M. Ayres, D.N. Payne, J.R. Furr & A.D. Russell*

427 The comparative effects of nitrogen and oxygen on the microflora of beef steaks in carbon dioxide-containing modified atmosphere vacuum skin-packaging (MA-VSP) *M.J. Coventry, M.W. Hickey, R. Mawson, P. Drew, J. Wan, D. Krause & V. Boghossian*

432 Reduction of caecal *Listeria monocytogenes* in Leghorn chicks following treatment with a competitive exclusion culture (PREEMPT™) *M.E. Hume, J.A. Byrd, L.H. Stanker & R.L. Ziprin*

437 Rapid and definitive detection of *Salmonella* in foods by PCR *A.R. Bennett, D. Greenwood, C. Tennant, J.G. Banks & R.P. Betts*

442 The detection of a deletion in the type B neurotoxin gene of *Clostridium botulinum* A(B) strains by a two-step PCR *G. Franciosa, C.L. Hatheway & P. Aureli*

447 Induction of acid tolerance at neutral pH in log-phase *Escherichia coli* by medium filtrates from organisms grown at acidic pH *R.J. Rowbury & M. Goodson*

452 Diversity of *Saccharomyces* strains in wine fermentations: analysis for two consecutive years *J. Sabate, J. Cano, A. Querol & J.M. Guillams*

456 A PCR-ELISA for the detection of potential fumonisin producing *Fusarium* species *C. Grimm & R. Geisen*

463 Letter to the Editor
Cattle TB crisis? Human implications *M. Hancox*

465 Index